



4T TC5010 Hydraulic Telescopic Tower Crane Top-slewing Types Equipment

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ50(5010) Tower Crane
- Minimum Order Quantity: 1
- Price: \$31500-32100 per set
- Packaging Details: Naked packing, 3*40'HQ+1*20'GP containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 4t
- Jib Length: 50m
- Tip. Load: 1.0t
- Power supply: 380V/50Hz, 220V/60Hz Or According To Clients Needs
- Mast section: 1.6*1.6*2.5m
- Main Chord: 135*10mm (square Tube)



Product Description

4T TC5010 Hydraulic Telescopic Tower Crane Top-slewing Types Equipment

We value our customers; We value our customers' customers

HYCM-TOWER CRANE Focus on superior products (tower crane) and perfect service

Performance parameters

- a. Max. jib length: 50m
- b. Max. lifting capacity: 4t
- c. Max. hoisting capacity at jib tip: 1.0t
- d. Max. lifting moment: 500 t.m
- e. Max. free-standing height: 30m
- f. Max. working height of anchored crane: 120m
- g. Types of tower crane: fixed with outer side climbing type / inner climbing type and mobile type

Specification

Model	QTZ50 (5010) Tower Crane	
Type	Topkit / Cat Head	
Working Radius (m)	50	
Max. Load Capacity (T)	4	
Tip Load (T)	1.0	
Freestanding height (m)	29	
Max. Height with anchorage (m)	120	
Mast Section dimension (m)	1.6×1.6×2.5, Square 135×10mm	
Hoisting Mechanism	Speed (m/min)	(a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5
	Motor power (kw)	15/15/4
Slewing Mechanism	Speed (r/min)	0.70/0.35
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)	24.9	
Power Supply	380V/50Hz or according to clients needs	

Competitive Advantage:

1. Focusing on tower crane exporting for 15 years;
2. Manufacturer's representative;
3. It's lifting height is obviously increased thanks to its self-erecting and wall attached function.
4. It is applicable for construction of different industrial, commercial, office, and civil building lower than 120m, and becomes an ideal service-building machine at home.

Photos



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China