



TC6012 Chinese Specifications Tower Crane 60 Meter Building Cranes

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ100(6012) Tower Crane
- Minimum Order Quantity: 1
- Price: \$70000-72400 per set
- Packaging Details: Naked packing, 6*40'HQ containers.
- Delivery Time: 20 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 20 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 8t
- Jib Length: 60m
- Tip. Load: 1.2t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.835*1.835*2.5m (block Type)
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Highlight: 60 meter tower crane,
Chinese specifications tower crane,
Topkit building crane



More Images



Product Description

TC6012 Chinese Specifications Tower Crane 60 Meter Building Cranes

Related technical parameters are as following in detail:

Lifting capacity: 8ton, Boom length: 60m
 Stationary height: 45m, adhered height: 150m.
 Standard section: 1835*1835*2500mm, Square steel: 135X12mm
 Hoisting speed (2 ratio): 80/40/8.5m/min, (4ratio): 40/20/4.25m/min
 Slewing speed: 0.6 r/min
 Trolleying speed: 40/20 m/min
 Hydraulic-hoisting speed: 0.4
 The min descending speed: less than 7 m/min
 Ddmitted working temperature : -20 to +40

Specification

Model	QTZ100(6012) Tower Crane	
Working Radius (m)	60	
Max. Load Capacity (T)	8	
Tip Load (T)	1.2	
Free standing height (m)	45	
Max. Height with anchorages (m)	150	
Mast Section dimension (m)	1.835×1.835×2.5, square steel 135×12mm	
Hoisting Mechanism	Speed (m/min)	80/40/8.5 40/20/4.25
	Motor power (kw)	30/30
Slewing Mechanism	Speed (r/min)	0.6
	Motor power (kw)	2*3.7
Trolleying Mechanism	Speed (m/min)	40/20
	Motor power (kw)	3.3/2.2
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	5.5
Total Power (kw)	46.2	
Power Supply	380V/50Hz, 220V/60Hz or others	

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information,specific model and price of products will be provided quickly after receiving inquiry.

Safety devices:

- 1) Hoist height limit
- 2) Over speed limit
- 3)Over load limit
- 4) Lifting moment limit
- 5) Slewing angle limit
- 6) Emergency stop button
- 7) Obstruction light (tip of jib, tower head)
- 8) Wind lock device.

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China