



Hammerhead Construction Lift Equipment QTZ 125 Construction Crane Tower

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ125(6018) Tower Crane
- Minimum Order Quantity: 1
- Price: \$101000-115000 per set
- Packaging Details: Naked packing, 6*40'HQ or 7*40'HQ containers.
- Delivery Time: 20 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 20 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 10t
- Jib Length: 60m
- Tip. Load: 1.8t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.835*1.835*2.5m (block Type)
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need



More Images



Product Description

Hammerhead Construction Lift Equipment QTZ 125 Construction Crane Tower

Features

QTZ125(6018) fixed tower crane in Madagascar
 Fixed / stationary tower crane
 Max. load: 10ton
 Tip load: 1.8ton
 Jib length: 69m
 CE, ISO, GOST, CU-TR certificates

Specification

Model	QTZ125(6018)	
Working Radius (m)	60	
Max. Load Capacity (T)	10	
Tip Load (T)	1.8	
Free Height Under Hook (m)	50	
Max. Height with anchorages (m)	180	
Mast Section dimension (m)	1.835×1.835×2.5, 125×12 welded square tube plus rib plate	
Hoisting Mechanism	Speed (m/min)	0-100 0-50
	Motor power (kw)	45kw
Slewing Mechanism	Speed (r/min)	0-0.6
	Motor power (kw)	5.5×2
Trolleying Mechanism	Speed (m/min)	0-60
	Motor power (kw)	5.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	5.5
Total Power (kw)	61.5 (not includes jacking-up system)	
Power Supply	380V/50Hz	
Base type	Well shaped base/cross base/ base with ballast	
No. of containers	7 x 40'HQs	
Optional parts (if you need them, please let me know in advance)	1) Anemometer 2) Air condition in cabin 3) Block box 4) Remote control	

The process features

- 1): Automatic submerged arc welding is adopted in the main section limbs and chord boom. It has high thermal efficiency, high penetration, high production efficiency, while reducing the pores and crack defects, increases the weld strength and the beautiful appearance.
- 2): We adopt carbon dioxide gas welding; it has heat concentrated, a small welding line, high strength and resistance to rust and crack. it can reduce stress and deformation, it has high strength and resistance to rust and crack.
- 3): Shot blasting is used for masts to strength the hardness of steel surface; enhance the paint adhesion and prolonging its life

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China