

# 10 tons Load TC6518 Builders Crane Tower With Electric Cable And Wire Rope

#### **Basic Information**

Place of Origin: ChinaBrand Name: HYCM

Certification: CE, ISO, GOST, CU-TR
 Model Number: QTZ160(6518) Tower Crane

Minimum Order Quantity:

• Price: \$122000-130700 per set

Packaging Details: Naked packing, 6\*40'HQ or 7\*40;HQ

containers.

• Delivery Time: 20 days after receiving the deposit or origin

LC

• Payment Terms: TT, LC

• Supply Ability: 10 sets per month



# **Product Specification**

• Condition: 100% New

Application: Buildings And ProjectsType: Fixed With Tower Head

Max. Load: 10tJib Length: 65mTip. Load: 1.8t

• Power supply: 380V/50Hz Or According To Client's

Requirements

• Mast section: 1.835\*1.835\*2.5m Or 2\*2\*3m

Electric Box: Schneider

• Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or

According To Clients Need



## More Images





## **Product Description**

#### 10 tons Load TC6518 Builders Crane Tower With Electric Cable And Wire Rope

#### **Short Description**

The tower crane's lifting height is obviously increased thanks to its self-erecting by adding mast sections and wall attached function.

It is applicable for construction of different industrial, commercial, office, and civil building lower than 200m, and becomes an ideal service-building machine at home.

#### Specification

| Rated Lifting Moment (KN.M)  | 1600   |
|--|--|
| Model  | QTZ160(6024) Tower Crane   |
| Max. Lifting Load (t)  | 10   |
| Tip Load (t)   | 2.4  |
| Max. Lifting Height (m)  | 200  |
| Free standing height (m)   | 50   |
| Rope length (m)  | 500  |
| Span (m)   | 60   |
| Working range (m)  | 3 to 60  |
| Slewing speed (r/min)  | 0-0.6  |
| Trolley peed (m/min)   | 0-60   |
| Jacking-up speed (m/min)   | 0.4  |
| Counter jib length (m)   | 14.6   |
| Power supply   | 380V/50Hz or according to client's requirements                  |
| Power Capacity (kw)  | 61.5   |
| Electric switch box  | Schneider  |
| Main Material (mm)   | 125*14 /two angle steel with rib                                 |
| Mast section (m)   | 1.835*1.835*2.5 or 2*2*3m  |
| Optional parts<br>(if you need them, please let<br>me know in advance) | Anemometer Air condition in cabin 3) Block box 4) Remote control |

Application field: Building height up to 60 floors (200m), loading capacity up to 10t, jib length is 65m or short. If you have some special requirements, we will design new type of tower crane for you.

Abroad markets: The Middle East Regions, Southeast Asia, Africa, Russia, ect.

Certificate: ISO9001-2008, CE, GOST

Package: nude in 6\*40"HQ or 7\*40'HQ container

Payment terms: 30% in advance, 70% balance payment before shipment date

Delivery time: 30 workdays after receiving 30% advanced payment

Warranty: 12 months from the bill date (arrival of destination). And overseas service center is available.

Material: Q345 manganese steel

MOQ: 1 set (the more you buy, the cheap it is)

**Pictures** 





# Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China