



## Hammerhead Tower Crane Chinese 70m Jib 16ton Kind of Tower Crain

Our Product Introduction

for more products please visit us on hycmtowercrane.com

### Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ250(7030) Tower Crane
- Minimum Order Quantity: 1
- Price: \$154700-160500 per set
- Packaging Details: Naked packing, 9\*40'HQ containers.
- Delivery Time: 25 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 5 sets per month



### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 16t
- Jib Length: 70m
- Tip. Load: 3.0t
- Mast section: 2\*2\*3m (split Type) Potain Type
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Color: Yellow, Red Or According To Clients Needs



### More Images



## Product Description

### Hammerhead Tower Crane Chinese 70m Jib 16ton Kind of Tower Crain

#### Description

1. This series tower crane is characterized by horizontal jib frame, trolley travel, slewing self-climbing, novel structure and reliable running.
2. All accessories are adopted from home famous brands and electrical components from international famous brands.
3. "Quality First" is not just a slogan, which has already deeply rooted in HYCM People's soul, besides we will also make all your purchases in unlimited satisfaction with star-rated after-sales services.

#### Specification

Foundation	Fixed Angle or base with ballast type
Freestanding height (M)	50-60
Max. Height (M)	183
Max. Radius (M)	70
Jib end load (T)	3.0
Max. Load (T)	16
Drum capacity (M)	550
Lifting speed (M/MIN)	0-100 and 0-50
Slewing speed (R/MIN)	0-0.6
Trolley speed (M/MIN)	0-60
Power line voltage	380V/50Hz (60Hz) or others
Counter weight	Stell-structured frame (without concrete)
Mast section (M)	2 x 2 x 3 (Split type)

#### The process features

- 1): Automatic submerged arc welding is adopted in the main section limbs and chord boom. It has high thermal efficiency, high penetration, high production efficiency, while reducing the pores and crack defects, increases the weld strength and the beautiful appearance.
- 2): We adopt carbon dioxide gas welding; it has heat concentrated, a small welding line, high strength and resistance to rust and crack. it can reduce tress and deformation, it has high strength and resistance to rust and crack.
- 3): Shot blasting is used for masts to strength the hardness of steel surface; enhance the paint adhesion and prolonging its life

#### Pictures





**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China