



ZLP500 Wire Rope Climbing Suspending Platform 500kg Two Person Working

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM or others
- Certification: ISO, CE
- Model Number: ZLP500 Platform
- Minimum Order Quantity: 1 set
- Price: \$2050-2350 per set
- Packaging Details: LCL or 20'GP, 40'HQ construction
- Delivery Time: 7-10 days
- Payment Terms: Western Union, L/C, T/T
- Supply Ability: 50 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Suspended Climbing
- Max. Load: 500 Kg
- Standard Height: 100 M
- Rated Speed: 9-11 M/min
- Power supply: 380V/50Hz Or According To Client's Requirements
- Motor Power: 2*1.5 Kw
- Platform Material: Steel, Hot Galvanized Or Aluminum
- Platform Length: 5 M



More Images



Product Description

ZLP500 Wire Rope Climbing Suspending Platform 500kg Two Person Working

Description

The ZLP series powered **Suspended Gondola / Cradle / Stage** is one new type construction machine.

It is a substitute of traditional scaffold used for exterior construction, decoration, cleaning and maintenance of high rise building, and is also ideal for applications such as the welding of seagoing ship in shipbuilding industry, cleaning of oil-based paint, installation of elevators, big-size tanks and high chimneys, construction of reservoir dams, and inspection, cleaning and repair of bridges.

Specification

Model	ZLP500	
Rated load	500Kg	
Lifting speed	8-10m/min	
Platform Dimension L×W×H(mm)	5000(2+3m)×720×1300	
Lifting Height	100 m	
Cable	100 m	
Steel rope	Φ8.3mm	
Hoist	Power	1.5KW*2
	Voltage	380V/50HZ
Safety lock	Permission force of impact	30KN
	Locking Cable Angle	3°~8°
Suspension mechanism	Front beam overhang	1.3~1.5m
	Support adjustable height	1.44~2.14m
Galvanized		
Counterweight includes	800KG	
20'ft container load qty	10 sets	

Parts contains:

1. Suspended Cage: Steel or Aluminum Alloy (powder coating or hot galvanization)
2. Suspension Mechanism: Steel (powder coating or hot galvanization)
3. Electric hoists: LTD5
4. Safety Lock: LSF30
5. Electric control box: Schneider brand
6. Steel wire rope: 8.3mm
7. Counterweights: Cement or Cast Iron
8. Spare parts

Features:

- Easy to use
- Cost effective solutions
- Reasonable price

Picture



emma1109@foxmail.com
0086 18254159408



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu
District, Jinan City, Shandong Province, China