



Manual TC4807 Telescopic External Climbing Tower Crane 4 Ton 48M Boom or Jib

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ40(4807) Tower Crane
- Minimum Order Quantity: 1
- Price: \$26200-27800 per set
- Packaging Details: Naked packing, 3*40'HQ containers.
- Delivery Time: about 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 4 T
- Jib Length: 48 M
- Tip. Load: 0.7 T
- Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need
- Mast section: 1.5*1.5*2.2 M
- Main Chord: 140*12 Mm
- After Sale Service: Engineers Available To Service Overseas



More Images



Product Description

Manual TC4807 Telescopic External Climbing Tower Crane 4 Ton 48M Boom or Jib

Quick Details

- 1) We are a professional manufacture of construction machineS, have ISO, CE , GOST certification, high quality and competitive price
- 2) Tower crane is a combination of advanced technologies from home and abroad, it is equipped with a hydraulic self-raising mechanism and frequency-converting slewing mechanism.
- 3) The crane has a complete set of safety devices, which can guarantee the safety and high efficient operation of the equipment, It is equipped with height limiter, moment limiter, radius-changing limiter and weight limiter, etc.
- 4) Our products have been exported to many countries and areas in Europe, America, Australia, the Middle East and Southeast Asia etc.

Specification

Rated Lifting Moment (KN.M)	400
Type	Fixed with tower head
Rated Loading Capacity (t)	4
Max. Lifting Load (t)	4
Tip Load (t)	0.7
Max. Lifting Height (m)	120
Free standing height (m)	29
Rope length (m)	320
Span (m)	48
Working range (m)	3 to 48
Slewing speed (r/min)	0.7/0.35
Trolley peed (m/min)	38.6/25.2
Jacking-up speed (m/min)	0.4
Counter jib length (m)	12.89
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	24.9
Electric switch box	Schneider
Hoisting speed (m/min)	(a=2) 64.15/32.57/7.0; (a=4) 32.14/15.60/3.5
Mast section (m)	1.5*1.5*2.2m (140*12 /angle steel /Q235B)

Abroad markets: The Middle East Regions, Southeast Asia, Africa, Russia, ect.

Certificate: ISO9001-2008, CE, GOST

Package: nude in 6*40'HQ or 7*40'HQ container

Payment terms: 30% in advance, 70% balance payment before shipment date

Delivery time: 30 workdays after receiving 30% advanced payment

Warranty: 12 months from the bill date (arrival of destination). And overseas service center is available.

Material: Q235 or 345 manganese steel

MOQ: 1 set (the more you buy, the cheap it is)



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China