

Fixed types of Small Tower Cranes qtz25 2.5t Max. Load Specification

Basic Information

- Place of Origin:
- Brand Name:

China HYCM

ISO

1

QTZ25(3508)

\$23500-25300 per set

40 sets per month

100% New

Naked packing, 2*40'HQ containers.

10 days after receiving the deposit or origin

- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: TT, LC
- Supply Ability:



Product Specification

- Condition:Application:
- Type:
- Max. Load:
- Jib Length:
- Tip. Load:
- Power supply:
- Mast section:

Buildings And Projects
Fixed With Tower Head
2.5t
35m
0.8t
380V/50Hz Or According To Client's Requirements
1.5*1.5*2.2m



More Images





Fixed types of Small Tower Cranes qtz25 2.5t Max. Load Specification

Technical Features

1) Advanced technical parameters, max. Radius is 35m, the static height is 25m, it can reach up to max. height 60m by adding mast sections and anchorages.

2) The complete crane adopts internationally well-received beautiful shape.

3) The crane features high working speed and excellent speed regulation performance.

4) The cabin is independently installed externally with good vision and large inner space, thus offering a good working environment for operators.

5) Equipped a set of safety devices so as to ensure the tower crane's reliable operation.

Specification

Model		QTZ25(3508) Tower Crane
Туре		Fixed base and external climbing
Working Radius (m)		35
Max. Load Capacity (T)	2.5t
Tip Load (T)		0.8
Free standing height (n	n)	25
Max. Height with ancho	orages (m)	60
Hoisting Mechanism	Speed (m/min)	30/15 46/23.5
	Motor power (kw)	11
Slewing Mechanism	Speed (r/min)	0.6/0.3
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	30/20
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.67
	Motor power (kw)	3
Total Power (kw)	2	11

Advantage

- 1. Export to more than 20 countries with ISO Certifications by skilled sales team.
- 2. Mobile and internal climbing type tower cranes are also offering as new designed mast sections.

3. High Quality control: Rost blasting and rust protection painting with advanced painting process. Strict and experience welding line.

4. Well known Mechanisms system and Schneider Electronic control system.

- 5. Engineers are available to service machinery overseas within 12 months warranty from the B/L date.
- 6. One set free easy-worn spare parts are provided with per set tower cranes.





 Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane
0086-18254159408
emma1109@foxmail.com
hycmtowercrane.com
No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China