Hammer Head Mini Tower Cranes QTZ 25 Model Tower Craines 35m Boom

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: ISO
- Model Number: QTZ25(3508)
- Minimum Order Quantity: 1
- Price: $23500-25300 per set
- Packaging Details: Naked packing, 2*40'HQ containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month

Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 2.5 T
- Jib Length: 35 M
- Tip. Load: 0.8 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.5*1.5*2.2m
- Highlight: **Hammer Head mini tower crane**, **QTZ 25 model tower crane**, **35m boom topkit crane**

More Images

for more products please visit us on hycmtowercrane.com

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Product Description

Hammer Head Mini Tower Cranes QTZ 25 Model Tower Craines 35m Boom

Technical Features

1)Advanced technical specifications:
Max. Radius is 35m, the static height is 25m, it can reach up to max. height 60m by adding mast sections and anchorages / tie device.
2) This Small Tower Crane / Mini Tower Crane used for lower story buildings construction, normally 4-10 lays.
3) It adopts internationally well received beautiful shape. Good looks
4) High working speed and excellent speed regulation performance.
5) The cabin / operation room is independently installed externally with good vision and large space.
6) Equipped full sets safety devices so as to ensure reliable working condition of tower crane.

Specification

Rated Lifting Moment (KN.M)	250
Max. Lifting Load (t)	2.5
Tip Load (t)	0.8
Max. Lifting Height (m)	80
Freestanding height (m)	25
Rope length (m)	200
Span (m)	35
Working range (m)	3 to 35
Slewing speed (r/min)	0.6/0.3
Trolley peed (m/min)	30/20
Jacking-up speed (m/min)	0.67
Counter jib length (m)	9
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	11
Electric switch box	Schneider
Hoisting speed (m/min)	30/15 46/23.5
Main Material (mm)	125*10 /angle steel /Q235B
Mast section (m)	1.5*1.5*2.2
Optional parts (if you need them, please let me know in advance)	1) Anemometer 2) Air condition in cabin 3) Block box 4) Remote control 5) VFD control

Service

a. Rapid response to any inquiry(within 3 hours) and 24 hours on-line service.
b. Competitive price which directly work with factory. Welcome to visit us.
c. Professional inspection department to guarantee quality.
d. Engineers will go to construction site for guiding the installation and test-running for first time.
e. Easy-worn Spare parts is free supplied along with the tower crane.
f. 12 months super long time guarantee period.

Photos

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China