



Hydraulic Telescopic Tower Cranes Specification 3T Load QTZ31.5 Model

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: TC3808 Small Tower Crane
- Minimum Order Quantity: 1
- Price: \$24600-26600 per set
- Packaging Details: Naked packing, 3*40'HQ containers.
- Delivery Time: within 20 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 3 T
- Jib Length: 38 M
- Tip. Load: 0.8 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.5*1.5*2.2 M
- Main Chord: 125*10mm
- Foundation Type: Well-frame



More Images



Product Description

Hydraulic Telescopic Tower Cranes Specification 3T Load QTZ31.5 Model

Main Technical Parameters

- 1) Nominal Lifting Moment: 310KN.m
- 2) Working Range: 3-38m
- 3) Max. Lifting Capacity: 3t
- 4) Independent Standing Height: 29m
- 5) Attached Standard Height: 120m
- 6) Lifting Speed: (a=2) 46/23/5m/min
- 7) Slewing Speed: 0.76/0.38r/min
- 8) Radius Changing Speed: 38.6/25.2m/min
- 9) Climbing Speed: 0.5m/min

Specification

Model	QTZ31.5 (3808) Tower Crane	
Type	Top kit / Cat Head	
Working Radius (m)	38	
Max. Load Capacity (T)	3	
Tip Load (T)	0.8	
Freestanding height (m)	29	
Max. Height with anchorage (m)	800	
Mast Section dimension (m)	1.5×1.5×2.5, angle steel 125×10mm	
Hoisting Mechanism	Speed (m/min)	(a=2) 46/23/5
	Motor power (kw)	15
Slewing Mechanism	Speed (r/min)	0.76/0.38
	Motor power (kw)	3.7
Trolleying Mechanism	Speed (m/min)	24.6/16.5
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.5
	Motor power (kw)	3
Total Power (kw)	23.5	
Power Supply	380V/50Hz or according to clients needs	

Advantage

1. Export to more than 20 countries with CE/ ISO/ GOST Certifications by skilled sales team.
2. Mobile and internal climbing type tower cranes are also offering as new designed mast sections.
3. High Quality control: blasting and rust protection painting with advanced painting process. Strict and experience welding line.
4. Well known Mechanisms system and Schneider Electronic control system.
5. Engineers are available to service machinery overseas within 12 months warranty from the B/L date.
6. One set free easy-worn spare parts are provided with per set tower cranes.





Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China