



## Hydraulic Telescopic Tower Crane Power Line QTZ63(PT5515) Quotation

Our Product Introduction

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

### Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ63(PT5510) Tower Crane
- Minimum Order Quantity: 1
- Price: \$56900-60700 per set
- Packaging Details: Naked packing, 5\*40'HQ+1\*20'GP containers.
- Delivery Time: 15 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 30 sets per month



### Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 6t
- Jib Length: 55m
- Tip. Load: 1.0t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.6\*1.6\*2.5m (Block Type)
- Main Chord: 135\*10mm (square Tube)



### More Images



## Product Description

### Hydraulic Telescopic Tower Crane Power Line QTZ63(PT5515) Quotation

#### Technical Parameters

- 1) Nominal Lifting Moment: 630 KN.m
- 2) Working Range: 3-55 m
- 3) Max. Lifting Capacity: 6 t
- 4) Independent Standing Height: 40 m
- 5) Attached Standard Height: 150 m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/min
- 7) Slewing Speed: 0.6 r/min

#### Specification

Rated lifting moment (kN.m)		630			
Lifting height (m)		Rope fall	Free-standing stationary crane		Anchored crane
		α 2	40		150
		α 4	40		150
Working radius (m)		Max. working radius		55	
		Min. working radius		3	
Max. lifting capacity (t)		5			
Hoisting mechanism	Rope fall	α 2		α 4	
	Speed (m/min)	80/40/8.5		40/20/4.25	
	Lifting weight (t)	1	2.5	2.5	5
	Power (kW)	24/24/5.5			
Trolleying mechanism		Speed (m/min)		0.6	
		Power (kW)		3.7	
Slewing mechanism		Speed (r/min)		0.4	
		Power (kW)		4	

#### Advantage

1. 15 years of experience in supplying new Topless tower crane with HYCM Brand which export to more than 20 countries with CE / ISO Certificates.
2. Stationary / Traveling and internal climbing type topless tower crane are available.
3. Quality Control: Impeller blasting/rust protection paint, advanced painting process and Strict and experience welding line
4. New designed mast, can be used to Internal and external climbing tower crane
5. Well known brand mechanism system, Schneider Electronic control system, Jjiangte and Jiuhe motor
6. Engineers available to service machinery overseas.
7. For warranty: 12 months from the B/L date.

#### Applications

It's used in construction building site, such as Multi commercial housing, High rise building, Skyscraper, and Workshop Material handling etc.

#### Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

#### Pictures



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China