D125-5020 50M Jib Luffing Crane Tower 2.0t Min. Load Capacity

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTD125(5020) Luffing Tower Crane
- Minimum Order Quantity: 1 set
- Price: $126100-131900 per set
- Packaging Details: Naked packing, 9*40'HQ containers.
- Delivery Time: 30 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 5 sets per month

Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 10 T
- Jib Length: 50 M
- Tip. Load: 2.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 2*2*3 M (split Type)
- Main Chord: 200*20 Mm (angle Steel)
- Highlight: **50M luffing tower crane**, **2.0t load capacity crane**, **D125-5020 jib crane**

More Images

for more products please visit us on hycmtowercrane.com

Our Product Introduction

Product Description

D125-5020 50M Jib Luffing Crane Tower 2.0t Min. Load Capacity

Short Introduction of Luffing Tower Crane

To meet the requirements of your sites which are crowded, where there are numerous cranes, or which are especially lacking in space, luffing tower cranes meet the challenge.

Specification of Luffing Jib Tower Crane

Rated Lifting Moment (KN.M)	1250
Model	QTD125(5020) Luffing Jib Tower Crane
Rated Loading Capacity (t)	10
Max. Lifting Load (t)	10
Tip Load (t)	2.0
Max. Lifting Height (m)	162
Free standing height (m)	50
Rope length (m)	400
Span (m)	50
Working range (m)	5 to 50
Slewing speed (r/min)	0-0.6
Trolley peed (m/min)	0-10
Jacking-up speed (m/min)	0.4
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	91
Electric switch box	Schneider
Hoisting speed (m/min)	(a=2) 0-100; (a=4) 0-50
Main Material (mm)	200*20 /angle steel
Mast section (m)	2*2*2.8

Advantages of Luffing Jib Tower Crane

Use on height-restricted sites
Fully pre-installed compact head
Low assembly weights
Easy Connect and Work assembly
Intelligent high-performance drives

Commercial Terms of Luffing Jib Tower Crane

Price: Negotiable
Delivery time: 15-30 days after receiving 30% advanced payment
Trade terms: FOB (qingdao)
Terms of Payment: T/T or L/C (30% advanced payment, 70% before shipment)
Packing: Standard Exporting Packing
Warranty: At least 12 months

Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Varialbe-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

Photos of Luffing Jib Tower Crane

for more products please visit us on hycmtowercrane.com

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China