



## D5030 12T 50m Boom Luffing Tower Crane 3m Mast 50m HUH Height

Our Product Introduction

for more products please visit us on [hycmtowercrane.com](http://hycmtowercrane.com)

### Basic Information

- Place of Origin: China
- Brand Name: HYCM
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTD160(5030) Luffing Tower Crane
- Minimum Order Quantity: 1 set
- Price: \$138800-144600 per set
- Packaging Details: Naked packing, 9\*40'HQ containers.
- Delivery Time: 30 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 5 sets per month



### Product Specification

- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 12t
- Jib Length: 50m
- Tip. Load: 3.0t
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 2\*2\*3 M (split Type)
- Main Chord: 200\*20 Mm (angle Steel)



### More Images



## Product Description

### D5030 12T 50m Boom Luffing Tower Crane 3m Mast 50m HUH Height

**Performance parameters of D5030: performance parameters and technical indexes reach both domestic and international advanced level.**

- Max. jib length: 50m;
- Max. lifting capacity 12t;
- Max. hoisting capacity at jib tip: 3.0t;
- Rated lifting moment: 1600 Kn.m;
- Max. freestanding height: 37.5m; Max. working height of anchored crane: 160m;

#### Specification

Model	QTD160 (5030) Luffing Jib Tower Crane	
Working Radius (m)	50	
Max. Load Capacity (T)	12	
Tip Load (T)	3.0	
Free standing height (m)	40	
Max. Height with anchorages (m)	162	
Mast Section dimension (m)	2×2×3, angle steel 200×20mm	
Hoisting Mechanism	Speed (m/min)	(a=2) 0-100; (a=4) 0-50
	Motor power (kw)	45
Slewing Mechanism	Speed (r/min)	0-0.6
	Motor power (kw)	2×5.5
Trolleying Mechanism	Speed (m/min)	0-10
	Motor power (kw)	35
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	11
Total Power (kw)	91	
Power Supply	380V/50Hz or according to clients needs	

#### Features

Quality manufacturing designed for reliable performance hour after hour  
 Easy maintenance access and built-in safety features to keep downtime to a minimum  
 Ergonomic cabs provide the comfort required for long hours on the job  
 The range provides fixed and mobile counterweight cranes for higher performance

#### Commercial Terms

Price: Negotiable  
 Delivery time: 15-30 days after receiving 30% advanced payment  
 Trade terms: FOB (qingdao)  
 Terms of Payment: T/T or L/C (30% advanced payment, 70% before shipment)  
 Packing: Standard Exporting Packing  
 Warranty: At least 12 months

#### Why choose us

1. A professional tower crane supplier in China with 15 years experience
2. Exported to more than 20 countries with ISO9001 & CE & GOST Certifications
3. Hydraulic self-climbing mechanism
4. Variable-frequency slewing mechanism
5. Variable-speed frequency PLC control System
6. Operation data display screen and Safety monitoring system (Black Box)
7. Various safety devices

#### Photos



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China