

# QTZ4807 Electric Tower Kren Building Construction Safety Equipment

# **Basic Information**

Place of Origin: China

Brand Name: AVITT or others

Certification: CE, ISO, GOST, CU-TR
Model Number: QTZ40(4807) Tower Crane

Minimum Order Quantity: 1

• Price: \$27800-29500 per set

Packaging Details: Naked packing, 3\*40'HQ containers.

Delivery Time: about 10 days after receiving the deposit or

origin LC

• Payment Terms: TT, LC

Supply Ability: 40 sets per month



# **Product Specification**

• Condition: 100% New

Application: Buildings And ProjectsType: Fixed With Tower Head

Max. Load: 4 T
Jib Length: 48 M
Tip. Load: 0.7 T

Power supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or

According To Clients Need

Mast section: 1.5\*1.5\*2.2 M
Main Chord: 140\*12 Mm

After Sale Service: Engineers Available To Service Overseas



# More Images



# **Product Description**

### QTZ4807 Electric Tower Kren Building Construction Safety Equipment

#### **Short Pamameter**

- 1. Model: QTZ40(TC4807) Topkit Tower Crane
- 2. Type: fixed and external climbing
- 3. jib length:48m
- 4. tip load:0.7t
- 5. max.laod: 4t
- 6.freestanding height: 29m

### **Quick Details**

- 1) We are a professional manufacture of construction machineS, have ISO, CE, GOST certification, high quality and competitive price
- 2) Tower crane is a combination of advanced technologies from home and abroad, it is equipped with a hydraulic self-raising mechanism and frequency-converting slewing mechanism.
- 3) The crane has a complete set of safety devices, which can guarantee the safety and high efficient operation of the equipment, It is equipped with height limiter, moment limiter, radius-changing limiter and weight limiter, etc.
- 4) Our products have been exported to many countries and areas in Europe, America, Australia, the Middle East and Southeast Asia etc.

### Specification

opecinication	
Rated Lifting Moment (KN.M)	400
Туре	Fixed with tower head
Rated Loading Capacity (t)	4
Max. Lifting Load (t)	4
Tip Load (t)	0.7
Max. Lifting Height (m)	120
Free standing height (m)	29
Rope length (m)	320
Span (m)	48
Working range (m)	3 to 48
Slewing speed (r/min)	0.7/0.35
Trolley peed (m/min)	38.6/25.2
Jacking-up speed (m/min)	0.4
Counter jib length (m)	12.89
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	24.9
Electric switch box	Schneider
Hoisting speed (m/min)	(a=2) 64.15/32.57/7.0; (a=4) 32.14/15.60/3.5
Mast section (m)	1.5*1.5*2.2m (140*12 /angle steel /Q235B)

### **Competitive Advantage**

- 1. Focusing on tower crane exporting for 15 years;
- 2. Preferential ex-factory price, excellent product quality and good after-sales service are our pursuit;
- 3. Our tower cranes had exported to more than 20 countries, such as Vietnam, Philippines, Indonesia, India, Sri Lanka, Cambodia, Russia, Kazakhstan, Brazil, Cyprus, Belgium, Madagascar and Algeria etc.
- 4. Factory visit is welcomed.
- 5. If you need, engineers will go to the construction site for guiding the installation and test-running.
- 6. Easy-worn Spare parts are free supplied along with the tower crane.
- 7. 12 months super long time guarantee period.

If any question about tower crane, please do not hesitate to contact us.

### **Photos**





0086-18254159408

emma1109@foxmail.com

hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China