

Fixed Kind Of Tower Kren QTZ 50 50m Jib For Civil Construction Projects

Basic Information

• Place of Origin: China

Brand Name: HYCM TOWER CRANE
Certification: CE, ISO, GOST, CU-TR
Model Number: QTZ50(5010) Tower Crane

Minimum Order Quantity:

• Price: \$34000-36900 per set

• Packaging Details: Naked packing, 3*40'HQ+1*20'GP

containers.

• Delivery Time: 10 days after receiving the deposit or origin

LC

• Payment Terms: TT, LC

• Supply Ability: 40 sets per month



Product Specification

• Condition: 100% New

Application: Buildings And ProjectsType: Fixed With Tower Head

Max. Load: 4 T
Jib Length: 50 M
Tip. Load: 1.0 T

• Power supply: 380V/50Hz, 220V/60Hz Or According To

Clients Needs

• Mast section: 1.6*1.6*2.5 M

• Main Chord: 135*10 Mm (square Tube)



Product Description

Fixed Kind Of Tower Kren QTZ 50 50m Jib For Civil Construction Projects

We value our customers; We value our customers' customers HYCM-TOWER CRANE Focus on superior products (tower crane) and perfect service

Performance parameters

a. Max. jib length: 50mb. Max. lifting capacity: 4t

c. Max. hoisting capacity at jib tip: 1.0t d. Max. lifting moment: 500 t.m

e. Max. free-standing height: 30m f. Max. working height of anchored crane: 120m

g. Types of tower crane: fixed with outer side climbing type / inner climbing type and mobile type

Specification

| Specification | | |
|--------------------------------|------------------|--|
| Model | | QTZ50 (5010) Tower Crane |
| Туре | | Topkit / Cat Head |
| Working Radius (m) | | 50 |
| Max. Load Capacity (T) | | 4 |
| Tip Load (T) | | 1.0 |
| Freestanding height (m) | | 29 |
| Max. Height with anchorage (m) | | 120 |
| Mast Section dimension (m) | | 1.6×1.6×2.5, Square 135×10mm |
| Hoisting Mechanism | Speed (m/min) | (a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5 |
| | Motor power (kw) | 15/15/4 |
| Slewing Mechanism | Speed (r/min) | 0.70/0.35 |
| | Motor power (kw) | 3.7 |
| Trolleying Mechanism | Speed (m/min) | 38.6/25.2 |
| | Motor power (kw) | 2.2/1.5 |
| Jacking-up System | Speed (m/min) | 0.4 |
| | Motor power (kw) | 4 |
| Total Power (kw) | | 24.9 |
| Power Supply | | 380V/50Hz or according to clients needs |

Advantage

Automatic impeller blasting and spraying assembly line

Adopt the world first-class automatic spraying assembly line. The large structure parts are dealt with impeller blasting before spraying. That remove steel surface oxides and welding spatters effectively, eliminates the internal stress producing in welding process, increases the parts' anti-figure strength and steel surface hardness, increases painting adhesion and prolong the service life of the product maximizes efficiency and saves energy.

Strict quality examination

The strict quality test, raw material test, test of welding, checking welding quality of appearance, assembly and adjustment of jib, tower head and pivot in factory.

We have professional packing person to pack and put the tower crane in the container or on to the truck.

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

Photos





Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China