



## TC5013 Topkit Tower Crane 5tons Load capacity Less Container Save Transport Cost

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: AVITT KANGTAI TOWER CRANE
- Certification: CE, ISO, GOST, CU-TR
- Model Number: TC5013 Tower Crane
- Minimum Order Quantity: 1
- Price: \$42200-56900 per set
- Packaging Details: Naked packing, 2\*40'HC containers per set TC5013 Tower crane
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month



#### Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 5 T
- Jib Length: 50 M
- Tip. Load: 1.3 T
- Power supply: 380V/50Hz, 220V/60Hz Or According To Clients Needs
- Mast section: 1.2\*1.2\*3 M S24
- Main Chord: 180\*18 Mm
- Highlight: 50 meters boom tower crane,  
4 ton capacity tower crane,  
Topkit tower crane Asia



## Product Description

### TC5013 Topkit Tower Crane 5tons Load capacity Less Container Save Transport Cost

We value our customers; We value our customers' customers

HYCM-TOWER CRANE Focus on superior products (tower crane) and perfect service

#### Performance parameters

- Max. jib length: 50m
- Max. lifting capacity: 5t
- Max. hoisting capacity at jib tip: 1.3t
- Max. lifting moment: 630 t.m
- Max. free-standing height: 35.5m
- Max. working height of anchored crane: 150m
- Types of tower crane: fixed with outer side climbing type / inner climbing type and mobile type

#### Specification

品型号 Model	QTZ63 (5013)
臂 Jib length	50M
最大 定起重量 Max. load	5T
臂尖 定起重量 Tip load	1.3T
高度 Height	33.5M
基 foundation type	Anchor bolt
基 base mast	1pc (1.2*1.2*7.5M)
准 standard mast	9sets (1.2*1.2*3M) S24
起升机 Hoisting mechanism	18JID13Z 18.5KW
幅机 Trolleying mechanism	2JXD2 2.4/1.5KW
回 机 Slewing mechanism	RVF90/PH02 (single slewing)
回 支承 slewing bearing	QW1250.40
司机室 cab	1.2m width standard one(with Haier air conditioning)
控系 electric box	Schneider contactors
wire rope	35W×7-1870
塔身 色 color	Blue or others
其他配置 others	The pins, platform, and railing are all hot-dip galvanized
安全装置 safety device	Weight limiter, torque limiter, high limiter, trolley limiter, slew limiter
整机自重 self weight	26t

#### Advantage

Automatic impeller blasting and spraying assembly line

Adopt the world first-class automatic spraying assembly line. The large structure parts are dealt with impeller blasting before spraying. That remove steel surface oxides and welding spatters effectively, eliminates the internal stress producing in welding process, increases the parts' anti-figure strength and steel surface hardness, increases painting adhesion and prolong the service life of the product maximizes efficiency and saves energy.

Strict quality examination

The strict quality test, raw material test, test of welding, checking welding quality of appearance, assembly and adjustment of jib, tower head and pivot in factory.

We have professional packing person to pack and put the tower crane in the container or on to the truck.

#### Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

#### Photos



**Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane**



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1, Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China