TC5010 5 ton 30 m Cat Head Tower Crane Chinese Cranes Prices in Africa

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ50(5010) Tower Crane
- Minimum Order Quantity: 1
- Price: $36000-39500 per set
- Packaging Details: Naked packing, 3*40'HQ+1*20'GP containers.
- Delivery Time: 10 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 40 sets per month

Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 5 T
- Jib Length: 50 M
- Tip. Load: 1.0 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.5*1.5*2.5 M
- Color: Yellow Or According To Clients Needs
- Control System: Normal One
- Highlight: **5 ton tower crane**, **30m cat head tower crane**, **Chinese tower crane with warranty**

for more products please visit us on hycmtowercrane.com

Our Product Introduction

for more products please visit us on hycmtowercrane.com

Product Description

TC5010 5 ton 30 m Cat Head Tower Crane Chinese Cranes Prices in Africa

Short Parameter
1. Model: Double slewing QTZ50(TC5010) Topkit Tower Crane
2. Type: fixed and external climbing
3. jib length: 50m
4. tip load: 1.0t
5. max.laod: 4t
6.freestanding height:30m

Service
a. Rapid response to any inquiry(within 3 hours) and 24 hours on-line service.
b. Competitive price which directly work with facotry. Welcome to visit us.
c. Professional inspection department to guarantee quality.
d. Engineers will go to construction site for guiding the installation and test-running for first time.
e. Easy-worn Spare parts is free supplied along with the tower crane.
f. 12 months super long time guarantee period.

Specification

Model		QTZ50 (TC5010) Tower Crane
Type		Fixed and external climbing type
Working Radius (m)		50
Max. Load Capacity (T)		5
Tip Load (T)		1.0
Freestanding height (m)		30
Max. Height with anchorage (m)		120
Mast Section dimension (m)		1.6×1.6×2.5, Square 135×10mm
Hoisting Mechanism	Speed (m/min)	(a=2) 64.15/32.57/7.0 (a=4) 32.14/15.60/3.5
	Motor power (kw)	15/15/4
Slewing Mechanism	Speed (r/min)	0.70/0.35
	Motor power (kw)	3.7*2
Trolleying Mechanism	Speed (m/min)	38.6/25.2
	Motor power (kw)	2.2/1.5
Jacking-up System	Speed (m/min)	0.4
	Motor power (kw)	4
Total Power (kw)		24.9
Power Supply		380V/50Hz or according to clients needs

Safety Features
1. Overload protection:If the material is over the capacity, the crane will give a sharp warning for protection itself
2. Emergency brake: If the operation staff encounter some emergency situation, we could start the emergency brake system to protection the related treasure.
3. Control Method: Room control or remote control to avoid any injure to the operation staff
4. Main lifting motor: with thermal protection and currency protection

Our Service
------Quality Assurance
Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.
------Excellent Package
We provide standard, strong, protective package for our products to prevent it from outer damage.
------Warranty Assurance
For our tower crane, we provide 1 year warranty period and quick replace service.
------The Fastest Reply
Detailed information,specific model and price of products will be provided quickly after receiving inquiry.

Pictures

Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane

0086 18254159408 emma1109@foxmail.com hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China