

# 3 Phase Power Tower Crane Hammer-head Tower Kren qtz63(5013) Models

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: TT, LC
- Cuenty Ability
- Supply Ability:



### **Product Specification**

Condition:	100% New
<ul> <li>Application:</li> </ul>	Buildings And Projects
• Type:	Fixed With Tower Head
• Max. Load:	6 Т
<ul> <li>Jib Length:</li> </ul>	50 M
• Tip. Load:	1.3 T
• Power supply:	380V/50Hz Or According To Client's Requirements
<ul> <li>Mast section:</li> </ul>	1.6*1.6*2.5m (blcok Type)
Electric Box:	Schneider
Power Supply:	380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need

China

1

AVITT or others

CE, ISO, GOST, CU-TR

QTZ63(5013) Crane

\$52300-55400 per set

40 sets per month

Naked packing, 5\*40'HQ containers.

10 days after receiving the deposit or origin

Our Product Introduction

#### 3 Phase Power Tower Crane Hammer-head Tower Kren qtz63(5013) Models

#### **Main Technical Parameters**

- 1) Nominal Lifting Moment: 630KN.m
- 2) Working Range: 3-50m
- 3) Max. Lifting Capacity: 6t
- 4) Independent Standing Height: 40m
- 5) Attached Standard Height: 150m
- 6) Lifting Speed: 80/40/8.5 40/20/4.25 m/mim
- 7) Slewing Speed: 0.6r/min
- 8) Radius Changing Speed: 40/20m/mim

### Specification

opeoindution	
Foundation	fixed or mobile
Free height	40 meters
Max. height	150 meters
Max. radius	50 meters
Jib end load	1.3 t
Max. load	6 T
Drum capacity	400 meters
Lifting speed	80/40/8.5 40/20/4.25m/min
Slewing speed	0.6 r/in
Trolley speed	40/20 m/min
Power line voltage	380V/50Hz (60Hz)
Counter weight	Stell-structured frame (without concrete)
Mast section	1.68 x 1.68 x 2.5 m or 1.6*1.6*2.5 m

#### Main features

This tower crane, has a horizontal jib frame, a jib-trolley radius-changing mechanism and a hydraulic self-raising mechanism. It is original in design, reliable in operation and satisfactory in shape.

Equipped with all necessary safety devices, these cranes show a good speed-control capacity, satisfactory operating stability and high work efficiency.

They can be widely used for the construction of high-rise hotels, residential buildings, high-rise industrial buildings, large-span factory buildings and tower-like buildings like tall chimneys.

#### Applications

It's used in construction building site, such as Multi commercial housing, High rise building, Skyscraper, and Workshop Material handling etc.

#### **Pictures**





Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane		
	S 0086-18254159408 emma1109@foxmail.com B hycmtowercrane.com	
No.21	8-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China	