

QTZ125 Flat Top Tower Crane 60m Boom 10t Capacity

Basic Information

• Place of Origin: China

Brand Name: KANGTAI TOWER CRANE
Certification: CE, ISO, GOST, CU-TR
Model Number: QTZ125 Faucet Tower Crane

Minimum Order Quantity:

• Price: \$93800-106900 per set

Packaging Details: Naked packing, 5*40'HQ containers per set

QTZ125 Faucet Tower Crane

• Delivery Time: 20 days after receiving the deposit or origin

LC

• Payment Terms: TT, LC

Supply Ability: 20 sets per month



Product Specification

• Condition: 100% New

Application: Buildings And ProjectsType: Fixed With Tower Head

Max. Load: 10 T
Jib Length: 60 M
Tip. Load: 1.5 T

• Power supply: 380V/50Hz Or According To Client's

Requirements

• Mast section: 1.6*1.6*3m (L461A)

Electric Box: Schneider

• Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or

According To Clients Need

• Highlight: QTZ125 flat top tower crane,

60m boom tower crane, 10t capacity flat top crane



Product Description

QTZ125 Faucet Tower Crane Potain Technology 45m Freestanding Height 60m Boom

Quick Details

This tower crane is FLAT TOP tower crane, includes foundation frame, mast sections (tower body), climbing system, slewing units, horizontal lifting jib / boom, counter-jib, tower head, operation cab, three mechanisms, electric system and safety device. The max. Boom length is 60m which consist of every 6meters and minimum length is 30m

This tower crane freestanding height is 45m and max.height is 200m with more mast section

The max. Load capacity is 10t and tip load at the end jib is 1.5t.

Specification

| Model | | QTZ125(6015) Tower Crane |
|---------------------------------|------------------|--------------------------------|
| Working Radius (m) | | 60 |
| Max. Load Capacity (T) | | 10 |
| Tip Load (T) | | 1.5 |
| Free standing height (m) | | 45 |
| Max. Height with anchorages (m) | | 200 |
| Mast Section dimension (m) | | 1.6×1.6×3, 180×18mm |
| Hoisting Mechanism | Speed (m/min) | 0-80 0-40 |
| | Motor power (kw) | 30/30 |
| Slewing Mechanism | Speed (r/min) | 0-0.6 |
| | Motor power (kw) | 2*3.7 |
| Trolleying Mechanism | Speed (m/min) | 0-40 |
| | Motor power (kw) | 3.3/2.2 |
| Jacking-up System | Speed (m/min) | 0.4 |
| | Motor power (kw) | 5.5 |
| Total Power (kw) | | 65 |
| Power Supply | | 380V/50Hz, 220V/60Hz or others |

Our Service

-----Quality Assurance

Good quality is assured by advanced manufacturing technology. And all products will be checked by our quality-control manager.

-----Excellent Package

We provide standard, strong, protective package for our products to prevent it from outer damage.

-----Warranty Assurance

For our tower crane, we provide 1 year warranty period and quick replace service.

-----The Fastest Reply

Detailed information, specific model and price of products will be provided quickly after receiving inquiry.

Safety devices:

- 1) Hoist height limit
- 2) Over speed limit
- 3)Over load limit
- 4) Lifting moment limit
- 5) Slewing angle limit
- 6) Emergency stop button
- 7) Obstruction light (tip of jib, tower head)
- 8) Wind lock device.

Competitive Advantage

- 1. Focusing on tower crane exporting for 15 years;
- 2. Manufacturer's representative;
- 3. Preferential ex-factory price, excellent product quality and good after-sales service are our pursuit;
- 4. Our tower cranes had exported to more than 20 countries, such as Vietnam, Philippines, Indonesia, India, Sri Lanka, Cambodia, Russia, Kazakhstan, Brazil, Cyprus, Belgium, Madagascar and Algeria etc.

We are dedicated to provide you professional solutions with Aclass Service!

Pictures







Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

