



QTZ160 65M Jib Tower Crane 10t Load Construction Projects Machinery

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: AVITT or others
- Certification: CE, ISO, GOST, CU-TR
- Model Number: QTZ160(6518) Tower Crane
- Minimum Order Quantity: 1
- Price: \$1119900-131800 per set
- Packaging Details: Naked packing, 6*40'HQ or 7*40'HQ containers.
- Delivery Time: 25 days after receiving the deposit or origin LC
- Payment Terms: TT, LC
- Supply Ability: 10 sets per month



Product Specification

- Condition: 100% New
- Application: Buildings And Projects
- Type: Fixed With Tower Head
- Max. Load: 10 T
- Jib Length: 65 M
- Tip. Load: 1.8 T
- Power supply: 380V/50Hz Or According To Client's Requirements
- Mast section: 1.835*1.835*2.5m Or 2*2*3m
- Electric Box: Schneider
- Power Supply: 380V/50Hz, 415V/50Hz, 220V/50Hz Or According To Clients Need



for more products please visit us on hycmtowercrane.com

Product Description

QTZ160 65M Jib Tower Crane 10t Load Construction Projects Machinery

Short Description

The tower crane's lifting height is obviously increased thanks to its self-erecting by adding mast sections and wall attached function.

It is applicable for construction of different industrial, commercial, office, and civil building lower than 200m, and becomes an ideal service-building machine at home.

Specification

Rated Lifting Moment (KN.M)	1600
Model	QTZ160(6518) Tower Crane
Max. Lifting Load (t)	10
Tip Load (t)	1.8
Max. Lifting Height (m)	200
Free standing height (m)	50
Rope length (m)	500
Span (m)	65
Working range (m)	3 to 60
Slewing speed (r/min)	0-0.6
Trolley speed (m/min)	0-60
Jacking-up speed (m/min)	0.4
Counter jib length (m)	14.6
Power supply	380V/50Hz or according to client's requirements
Power Capacity (kw)	61.5
Electric switch box	Schneider
Main Material (mm)	125*14 /two angle steel with rib
Mast section (m)	1.835*1.835*2.5 or 2*2*3m
Optional parts (if you need them, please let me know in advance)	Anemometer Air condition in cabin 3) Block box 4) Remote control

Application field: Building height up to 60 floors (200m), loading capacity up to 10t, jib length is 65m or short. If you have some special requirements, we will design new type of tower crane for you.

Abroad markets: The Middle East Regions, Southeast Asia, Africa, Russia, ect.

Certificate: ISO9001-2008, CE, GOST

Package: nude in 6*40'HQ or 7*40'HQ container

Payment terms: 30% in advance, 70% balance payment before shipment date

Delivery time: 30 workdays after receiving 30% advanced payment

Warranty: 12 months from the bill date (arrival of destination). And overseas service center is available.

Material: Q345 manganese steel

MOQ: 1 set (the more you buy, the cheap it is)

Technical Features

- 1) Advanced technical parameters, max. Radius is 65m, the static height is 50m, it can reach up to max. height 200m by adding mast sections and anchorages.
- 2) The complete crane adopts internationally well-received beautiful shape.
- 3) The crane features high working speed and excellent speed regulation performance.
- 4) The cabin is independently installed externally with good vision and large inner space, thus offering a good working environment for operators.
- 5) Equipped a set of safety devices so as to ensure the tower crane's reliable operation.

Pictures



Jinan Avitt International Trade Co., Ltd-HYCM Tower Crane



0086-18254159408



emma1109@foxmail.com



hycmtowercrane.com

No.218-1,Building 8, Comprehensive Building, Zone 8, Dongshan Garden, Shuangshan Street, Zhangqiu District, Jinan City, Shandong Province, China